

3737/IF

DOCKET NO. END0810US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Jeffrey D. Messerly Art Unit: 3737
Filed : January 14, 2002 Serial No. 10/047,601
Examiner: Jung, William C. Confirmation No. 8626
For : **BLADES WITH FUNCTIONAL BALANCE ASYMMETRIES FOR USE WITH
ULTRASONIC SURGICAL INSTRUMENTS**

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

October 13, 2005

(Date of Deposit)

Verne E. Kreger, Jr.

Name of person signing the Certificate

Verne E. Kreger, Jr., Reg. #35231/
Verne E. Kreger, Jr.

October 13, 2005

(Signature)

(Date of Signature)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF REPLACEMENT PAGE OF FORMAL DRAWINGS

Attention: Official Draftsman

Sir:

Applicants herewith submit replacement Page 16/17 of the formal drawings originally submitted 1/14/02 in connection with the above-identified patent application pursuant to an Office Communication mailed 09/14/05.

This submission is made within one month from 09/14/05, the mailing date of the Office Communication.


Please charge any fees which may be required for this submission to Johnson & Johnson Deposit Account No. 10-0750/END0810US/VEK.

Respectfully submitted,

Verne E. Kreger, Jr., Reg. #35231/
Verne E. Kreger, Jr.

Verne E. Kreger, Jr.
Attorney for Applicants
Reg. No. 35,231

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(513) 337-3295
October 12, 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 1/14/02 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 35A are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures _____ are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)